

# SAFETY DATA SHEET

Issue Date 28-Aug-2015

Revision Date 28-Aug-2015

Version 1

MT-4000

SM Professional Grade

# **1. IDENTIFICATION**

<u>Product identifier</u> Product Name	SM Professional Grade
Other means of identification Product Code	MT-4000

Recommended use of the chemical and restrictions on useRecommended UseRestricted to professional users.Uses advised againstConsumer use

# Details of the supplier of the safety data sheet

Manufacturer Address Solomon Colors, Inc. 4050 Color Plant Road Springfield, IL 62702

Company Phone Number	800-624-0261 (US & Canada);
24 Hour Emergency Phone Number	800-373-7542

# 2. HAZARDS IDENTIFICATION

# **Classification**

# **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Carcinogenicity	Category 1A
Specific target organ toxicity (repeated	Category 2
exposure)	

# Label elements

**Emergency Overview** 

# Danger

Hazard statements Harmful if inhaled May cause cancer by inhalation May cause damage to organs through prolonged or repeated exposure



Physical state No information available

Odor No information available

# **Precautionary Statements - Prevention**

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Do not breathe dust/fume/gas/mist/vapors/spray

# **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing May cause eye irritation. May cause: tearing, redness, discomfort. If eye irritation persists: Get medical advice/attention IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician IF SWALLOWED: Rinse mouth. DO NOT induce vomiting IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

#### **Precautionary Statements - Storage**

Store in accordance with local regulations Store in a well-ventilated place. Keep container tightly closed

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

#### Other Information

· May be harmful if swallowed

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS No.	Weight-%	Trade Secret
QUARTZ	14808-60-7	60-70	*
Portland Cement	65997-15-1	20-40	*
Proprietary Mineral Filler	Proprietary	1-5	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

# **4. FIRST AID MEASURES**

# **Description of first aid measures**

Eye contact

Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.

Skin Contact	Wash skin with soap and water.			
Inhalation	Remove to fresh air.			
Ingestion	Clean mouth with water and drink afterwards plenty of water.			
Most important symptoms and effects, both acute and delayed				
Symptoms	No information available.			
Indication of any immediate medical attention and special treatment needed				
Note to physicians	Treat symptomatically.			

# **5. FIRE-FIGHTING MEASURES**

# Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

# Specific hazards arising from the chemical

No information available.

#### Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

# Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures			
Personal precautions	Ensure adequate ventilation, especially in confined areas.		
Environmental precautions			
Environmental precautions	See Section 12 for additional ecological information.		
Methods and material for containm	nent and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so.		
Methods for cleaning up	Pick up and transfer to properly labeled containers.		
7. HANDLING AND STORAGE			
Precautions for safe handling			
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice.		
Conditions for safe storage, including any incompatibilities			
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place.		
Incompatible materials	None known based on information supplied.		

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Control parameters

# Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
QUARTZ	TWA: 0.025 mg/m <sup>3</sup> respirable	(vacated) TWA: 0.1 mg/m <sup>3</sup>	IDLH: 50 mg/m <sup>3</sup> respirable dust
14808-60-7	fraction	respirable dust	TWA: 0.05 mg/m <sup>3</sup> respirable dust
		: (30)/(%SiO2 + 2) mg/m <sup>3</sup> TWA	
		total dust	
		: (250)/(%SiO2 + 5) mppcf TWA	
		respirable fraction	
		: (10)/(%SiO2 + 2) mg/m <sup>3</sup> TWA	
		respirable fraction	
Portland Cement	TWA: 1 mg/m <sup>3</sup> particulate matter	TWA: 15 mg/m <sup>3</sup> total dust	IDLH: 5000 mg/m <sup>3</sup>
65997-15-1	containing no asbestos and <1%	TWA: 5 mg/m <sup>3</sup> respirable fraction	TWA: 10 mg/m <sup>3</sup> total dust
	crystalline silica, respirable fraction	(vacated) TWA: 10 mg/m <sup>3</sup> total dust	TWA: 5 mg/m <sup>3</sup> respirable dust
		(vacated) TWA: 5 mg/m <sup>3</sup> respirable	
		fraction	
		TWA: 50 mppcf <1% Crystalline	
		silica	
Proprietary Mineral Filler	-	TWA: 15 mg/m <sup>3</sup> total dust	TWA: 10 mg/m <sup>3</sup> total dust
		TWA: 5 mg/m <sup>3</sup> respirable fraction	TWA: 5 mg/m <sup>3</sup> respirable dust
		(vacated) TWA: 15 mg/m <sup>3</sup> total dust	
		(vacated) TWA: 5 mg/m <sup>3</sup> respirable	
		fraction	

Appropriate engineering controls

#### Engineering Controls Showers Eyewash stations Ventilation systems.

# Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin and body protection	Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical state Appearance Color	No information available Powder No information available	Odor Odor threshold	No information available No information available
<u>Property</u> pH Melting point/freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air	<u>Values</u> No information available No information available No information available No information available No information available	<u>Remarks • Method</u>	
Upper flammability limit:	No information available		

Lower flammability limit: Vapor pressure Vapor density Specific Gravity Water solubility Solubility in other solvents Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive properties Oxidizing properties

#### **Other Information**

Softening point Molecular weight VOC Content (%) Density Bulk density No information available No information available

No information available No information available No information available No information available No information available

# **10. STABILITY AND REACTIVITY**

# Reactivity

No data available

<u>Chemical stability</u> Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

#### **Conditions to avoid**

Extremes of temperature and direct sunlight.

# **Incompatible materials**

None known based on information supplied.

#### Hazardous Decomposition Products

None known based on information supplied.

# **11. TOXICOLOGICAL INFORMATION**

# Information on likely routes of exposure

Product Information	No data available
Inhalation	No data available.
Eye contact	No data available.
Skin Contact	No data available.
Ingestion	No data available.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
QUARTZ 14808-60-7	= 500 mg/kg (Rat)	-	-

# Information on toxicological effects

Symptoms

No information available.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	No information available.			
Germ cell mutagenicity	No information	on available.		
Carcinogenicity	No information	on available.		
Chemical Name	ACGIH	IARC	NTP	OSHA
QUARTZ	A2	Group 1	Known	Х
14808-60-7				
Reproductive toxicity	No information	on available.		
STOT - single exposure	No information available.			
STOT - repeated exposure	No information available.			
Aspiration hazard	No information	on available.		

# Numerical measures of toxicity - Product Information

# The following values are calculated based on chapter 3.1 of the GHS document .ATEmix (oral)5000 mg/kg

# **12. ECOLOGICAL INFORMATION**

**Ecotoxicity** 

Persistence and degradability No information available.

Bioaccumulation No information available.

Other adverse effects

No information available

# **13. DISPOSAL CONSIDERATIONS**

Waste treatment methods

Disposal of wastesDisposal should be in accordance with applicable regional, national and local laws and<br/>regulations.Contaminated packagingDo not reuse container.

# 14. TRANSPORT INFORMATION

DOT	Not regulated
TDG	Not regulated
MEX	Not regulated
ICAO (air)	Not regulated
IATA	Not regulated

# **15. REGULATORY INFORMATION**

# International InventoriesTSCAComDSL/NDSLComEINECS/ELINCSComENCSDoesIECSCComKECLComPICCSDoesAICSCom

Complies Complies Does not comply Complies Complies Does not comply Complies

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
Australian Inventory of Chemical Substances

# **US Federal Regulations**

# **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

# SARA 311/312 Hazard Categories

Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

# US State Regulations

# California Proposition 65

This product does not contain any Proposition 65 chemicals

Chemical Name	California Proposition 65	
QUARTZ - 14808-60-7	Carcinogen	

# U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
QUARTZ 14808-60-7	X	Х	Х
Portland Cement 65997-15-1	X	Х	Х
Proprietary Mineral Filler	X	Х	Х

# 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA

Reactivity 0

Physical hazards 0

Physical and Chemical <u>HMIS</u> Properties -Personal protection X Health hazards 0

Flammability 0

Issue Date28-Aug-2015Revision Date28-Aug-2015Revision Note28-Aug-2015No information available300 mode

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet